

I'm not a robot



Class: cruiser Production: 1994-1996 Also called: VS400 Related: Suzuki VS800 Intruder Successor: Suzuki VL400 Intruder Classic Models Suzuki VS400U Intruder 1994-1996 (Japan) Suzuki VS400F Intruder 1994-1996 (Japan) Suzuki VS400U Intruder Suzuki VS400F Intruder History History Year Country Name / Frame / Engine 1994 Japan Name: Suzuki Intruder 400 (VK51A) Code: VS400UR / VS400FR 1995 Japan Name: Suzuki Intruder 400 (VK51A) Code: VS400UTR / VS400FTR 1996 Japan Name: Suzuki Intruder 400 (VK51A) Code: VS400U-T / VS400F-T Specifications Suzuki VS400 Intruder: specs. Specifications DIMENSIONS Overall length 2245 mm / 88,4 in Overall width 770 mm / 30,3 in Overall height 1205 mm / 47,4 in Seat height 700 mm / 27,6 in Wheelbase 1560 mm / 61,4 in Ground clearance 125 mm / 4,9 in Dry weight 200 kg / 441 lbs Curb (wet) weight FRAME Type Steel Front suspension, travel Telescopic fork, 130 mm / 5,1 in Rear suspension, travel Swingarm with twin-shock (adjustable spring pre-load), 90 mm / 3,5 in Front tire size 100/90-19 57H 80/90-21 48H Rear tire size 140/90-15 70H Front brake Single disc, 300 mm, 2-piston caliper Rear brake Drum Fuel capacity 12,0 l / 3,2 US gal (reserve - 3,0 l) Trail 145 mm / 5,71 in Fuel economy / consumption 4,3 l / 100 km (59 US \$ mpg) ENGINE Type Water-cooled 4-stroke Cylinder arrangement V-twin Bore & Stroke 65,0 x 60,2 mm Displacement 399 cm³ (24,3 cu in) Compression ratio 10.5:1 Valve train Chain driven SOHC, 4 valves per cylinder Max. power 33 hp (24 kW) / 7,500 rpm Max. torque 32,4 Nm (3,3 kg-m) / 6000 rpm Acceleration 0 to 100 km/h (0-60 mph) Top speed 150 km/h (93 mph) CARBURETION SYSTEM Type Carburetor, 2x Mikuni BDS36SS (front) / BS36SS (rear) ID DRIVE TRAIN Clutch Wet, multi-plate, hydraulic operated Transmission 5-speed Final drive Shaft Primary reduction 1.690 Final reduction 3.090 Gear ratio I II III IV V 2.285 1.631 1.227 1.000 0.851 ELECTRICAL Ignition Transistorized Alternator Three-phase A.C. generator Battery capacity 12V-16Ah Images Suzuki VS400 Intruder: images, gallery. Suzuki VS400 Intruder Suzuki VS400 Intruder Suzuki VS400 Intruder Videos Suzuki VS400 Intruder: video. Manuals Suzuki VS400 Intruder: manuals, parts, microfiches. Suzuki VS700/750/800 Intruder: Service Manual How can financial brands set themselves apart through visual storytelling? Our experts explain how.Learn MoreThe Motorsport Images Collections captures events from 1895 to today's most recent coverage.Discover The CollectionCurated, compelling, and worth your time. Explore our latest gallery of Editors' Picks.Browse Editors' FavoritesHow can financial brands set themselves apart through visual storytelling? Our experts explain how.Learn MoreThe Motorsport Images Collections captures events from 1895 to today's most recent coverage.Discover The CollectionCurated, compelling, and worth your time. Explore our latest gallery of Editors' Picks.Browse Editors' Favorites Suzuki Intruder 400 model overviewSuzuki Intruder 400 models include the 10 motorcycles below produced from 2004 to 2016. The 2016 Suzuki Intruder Classic 400 motorcycle is used as an example on this page. It has a 399 ccm v2 engine. The category is custom / cruiser. Engine and transmissionDisplacement399.0 ccm (24.35 cubic inches)Power33.0 HP (24.1 kW) @ 8000 RPMTorque24.3 Nm (2.5 kgf-m or 17.9 ft.lbs) @ 6000 RPMGearbox5-speedClutchWet multi-plate coil springFuel consumption3.0 litres/100 km (33.0 km/l or 77.63 mpg)CO2 emission70.3 g/km.Frame, dampers, brakes and wheelsFrameDouble cradleFront tire130/90-16 Rear tire170/80-15 Front brakesSingle disc, HydraulicRear brakesExpanding brake (drum brake)WheelsWire spokedWeight and dimentionsDry weight275.0 kg (606.3 pounds)Saddle height701 mm (27.6 inches) If adjustable, lowest setting.Wheelbase1655 mm (65.2 inches)Length2080 mm (81.9 inches)Height1105 mm (43.5 inches)Width955 mm (37.6 inches)Ground clearance140 mm (5.5 inches)Fuel tank15.0 litres (3.96 US gallons)Oil capacity3.70 litres (3.91 US quarts)Other informationCommentsSold in Japan.MaintenanceFind Suzuki Intruder 400 parts, fluids and service manuals.Insurance costsEasy comparison of quotes from US top insurance providers. The Suzuki Intruder 400 model variants with detailed specs: Custom/cruiser category:2016 Suzuki Intruder Classic 400 Colors: Glass Sparkle BlackTorque: 24.30 NmDry weight: 275.00 kgSpecs and pictures Detailed rating Add a comment Add your rating Custom/cruiser category:2015 Suzuki Intruder Classic 400 Colors: BlackTorque: 24.30 NmDry weight: 275.00 kgSpecs and pictures Detailed rating Add a comment Add your rating Custom/cruiser category:2014 Suzuki Intruder Classic 400 Colors: Black, white, purpleTorque: 24.30 NmDry weight: 275.00 kgSpecs and pictures Detailed rating Add a comment Add your rating Custom/cruiser category:2012 Suzuki Intruder Classic 400 Colors: Black, white, purpleTorque: 33.00 NmDry weight: 275.00 kgSpecs and pictures Detailed rating Add a comment Add your rating Custom/cruiser category:2011 Suzuki Intruder 400 Colors: BlackTorque: 33.00 NmDry weight: 275.00 kgSpecs and pictures Detailed rating Add a comment Add your rating Custom/cruiser category:2008 Suzuki Intruder Classic 400 Torque: 33.00 NmDry weight: 244.00 kgSpecs and pictures Detailed rating Add a comment Add your rating Classic category:2005 Suzuki Intruder Classic 400 Torque: 33.00 NmDry weight: 244.00 kgSpecs and pictures Detailed rating Add a comment Add your rating Custom/cruiser category:2004 Suzuki Intruder 1400 Colors: Black/Gray, Silver/ PurplePrice as new: 8399 USDEngine: 399.00 ccmDry weight: 243.00 kgManufacturers proflilation: Once upon a time, cruisers made you choose between style and performance. Then the Intruder 1400 burst upon the scene. Finally, style and performance were melded together in a radical machine that offered a stunning combination of classic American cruiser styling and heart-pounding performance. Specs and pictures Detailed rating Add a comment Add your rating Images, trademarks and logos of third parties are the exclusive property of the respective owners. Technical data are subject to updates without notice. Select a motorcycle model variant to add or suggest updated specs. Here you can also rate each bike or write a review. Share — copy and redistribute the material in any medium or format for any purpose, even commercially. Adapt — remix, transform, and build upon the material for any purpose, even commercially. The licensor cannot revoke these freedoms as long as you follow the license terms. Attribution — You must give appropriate credit , provide a link to the license, and indicate if changes were made . You may do so in any reasonable manner, but not in any way that suggests the licensor endorses you or your use. ShareAlike — If you remix, transform, or build upon the material, you must distribute your contributions under the same license as the original. No additional restrictions — You may not apply legal terms or technological measures that legally restrict others from doing anything the license permits. You do not have to comply with the license for elements of the material in the public domain or where your use is permitted by an applicable exception or limitation . No warranties are given. The license may not give you all of the permissions necessary for your intended use. For example, other rights such as publicity, privacy, or moral rights may limit how you use the material. © 2025 | MOTO-DATA.COM The INTRUDER 400 pairs the ample torque and excellent riding performance of a 400 cm³ liquid-cooled V-twin 4-valve engine with a chassis that shares the same refinement and size as the INTRUDER 800 to create a genuine cruiser that can be ridden by holders of a standard motorcycle license. With beautiful and elegant styling complemented by luxurious touches, as well as ample power and torque delivered from the V-twin engine, this is a full-scale cruiser that is a true pleasure to own. Two INTRUDER 400 models were created, one with flamboyant flat handlebars and one with a more basic upright handlebar configuration. Dimensions and weight Dimensions Overall length 2,255 mm Overall width 765 mm Overall height 1,130 mm Wheelbase 1,560 mm Weight 200 kg (Dry) Engine Engine type 4-stroke, 2-cylinder, liquid-cooled, SOHC Engine displacement 399 cm³ Bore x stroke 65.0 mm x 60.2 mm Maximum power 24.3kW(33PS) / 7,500rpm Maximum torque 32.4N-m / 6,000rpm Transmission 5-speed constant mesh Front tire size 80/90-21 48H Rear tire size 140/90-15M/C 70H Class: cruiser Production: 2001-2016 Related: Suzuki VL800 Intruder / Boulevard C50 Predecessor: Suzuki VS400 Intruder Also called: Suzuki Intruder 400 Classic Models Suzuki VL400 Intruder (VK54A) 2001-2008 (Japan) Suzuki VL400 Intruder (VK56A) 2009-2016 (Japan) Suzuki VL400 Intruder (VK54A) Suzuki VL400 Intruder (VK56A) History History Year Country Name / Frame / Engine 2001 Japan Name: Suzuki Intruder 400 Classic Frame/Engine: VK54A-XXXXXX Code: VL400K1 2002 Japan Name: Suzuki Intruder 400 Classic Frame/Engine: VK54A-XXXXXX Code: VL400K2 2003 Japan Name: Suzuki Intruder 400 Classic Frame/Engine: VK54A-XXXXXX Code: VL400K3 2004 Japan Name: Suzuki Intruder 400 Classic Frame/Engine: VK54A-XXXXXX Code: VL400K4 2005 Japan Name: Suzuki Intruder 400 Classic Frame/Engine: VK54A-XXXXXX Code: VL400K5 / VL400ZK5 Z - Special Edition 2006 Japan Name: Suzuki Intruder 400 Classic Frame/Engine: VK54A-XXXXXX Code: VL400(C)K6 C - alloy wheels 2007 Japan Name: Suzuki Intruder 400 Classic Frame/Engine: VK54A-XXXXXX Code: VL400(C)K7 / VL400CZK7 2008 Japan Name: Suzuki Intruder 400 Classic Frame/Engine: VK54A-XXXXXX Code: VL400(C)K8 / VL400CZK8 2009 Japan Name: Suzuki Intruder 400 Classic Frame/Engine: VK56A-XXXXXX Code: VL400(C/CS/CZ)K9 CS - White Edition CZ - Black Edition 2010 Japan Name: Suzuki Intruder 400 Classic Frame/Engine: VK56A-XXXXXX Code: VL400(C/CS/CZ)L0 2011 Japan Name: Suzuki Intruder 400 Classic Frame/Engine: VK56A-XXXXXX Code: VL400(C/CS/CZ)L1 2012 Japan Name: Suzuki Intruder 400 Classic Frame/Engine: VK56A-XXXXXX Code: VL400(C/CS/CZ)L2 2013 Japan Name: Suzuki Intruder 400 Classic Frame/Engine: VK56A-XXXXXX Code: VL400(C/CS/CZ)L3 2014 Japan Name: Suzuki Intruder 400 Classic Frame/Engine: VK56A-XXXXXX Code: VL400(C/CS/CZ)L4 2015 Japan Name: Suzuki Intruder 400 Classic Frame/Engine: VK56A-XXXXXX Code: VL400(C/CS/CZ)L5 2016 Japan Name: Suzuki Intruder 400 Classic Frame/Engine: VK56A-XXXXXX Code: VL400(C/CS/CZ)L6 Specifications Suzuki VL400 Intruder: specs. Specifications DIMENSIONS Overall length 2510 mm / 98,8 in Overall width 985 mm / 38,8 in Overall height 1110 mm / 43,7 in Seat height 700 mm / 27,6 in Wheelbase 1650 mm / 65,0 in Ground clearance 140 mm / 5,5 in Dry weight 239 kg / 527 lbs Curb (wet) weight FRAME Type Double cradle (steel) Front suspension, travel Telescopic fork, 140 mm / 5,5 in Rear suspension, travel Swingarm with mono-shock, 105 mm / 4,1 in Adjustable spring pre-load Front tire size 130/90-16M/C 67H Rear tire size 170/80-15M/C 77H Front brake Single disc, 300 mm, 2-piston caliper Rear brake Drum Fuel capacity 17 l / 4,49 US gal - VL400K1-K8 15 l / 3,96 US gal - VL400K9+ Trail 141 mm / 5,55 in Fuel economy / consumption 2,77 l / 100 km (60 km/h) ENGINE Type Water-cooled 4-stroke Cylinder arrangement 2-cylinders, V-twin Bore & Stroke 65,0 x 60,2 mm Displacement 399 cm³ (24,3 cu in) Compression ratio 10.5:1 Valve train Chain driven SOHC, 4 valves per cylinder Max. power 33 hp (24 kW) / 7,500 rpm Max. torque 33 Nm (3,4 kg-m) / 6000 rpm Acceleration 0 to 100 km/h (0-60 mph) 9,5 sec. Top speed 150 km/h (93 mph) CARBURETION SYSTEM Type Carburetor, 2x Mikuni BDSR29 - VL400K1-K8 Fuel injection - VL400K9+ ID DRIVE TRAIN Clutch Wet, multi-plate, cable operated Transmission 5-speed Final drive Shaft Primary reduction 1.690 Final reduction 3.090 Gear ratio I II III IV V 2.285 1.631 1.227 1.000 0.851 ELECTRICAL Ignition Transistorized Alternator Three-phase A.C. generator Battery capacity 12V-10Ah Images Suzuki VL400 Intruder: images, gallery. Suzuki VL400 Intruder Suzuki VL400 Intruder Videos Suzuki VL400 Intruder: video. SUZUKI Intruder 400 Classic Manuals Suzuki VL800: Owners Manual Suzuki VL800: Service Manual * The BEST and MUST store to find Japanese parts. * Register now for amazing deals and other special offers! * Over 800,000 listed items. It's hard NOT to find your parts. Please enter email at least 6 characters. Please enter a valid email address. Email is already in use. Email address and/or password is not match. Authentication with facebook fail.Please try again. Email is required, please share your email. Forgot your password? OR Make Model Suzuki VS 400 Intruder Year 1994 Engine Four stroke, 450 V-twin, SOHC, 4 valves per cylinder Capacity 399 cc / 24.3 cu in Cooling System Liquid cooled Induction Electronic fuel injection Starting Electric Max Power 24.6 kW / 33 hp @ 7500 rpm Max Torque 33 Nm / 3.36 kgf-m / 24 lb-ft @ 6000 rpm Transmission 5-Speed Final Drive Chain Front Suspension Telescopic fork, oil damped Rear Suspension Dual shocks, coil springs, oil damed Front Brakes Single disc Rear Brakes Single disc Front Tire 130/90-16 Rear Tire 170/80-15 Dimensions Lenght: 2205 mm / 86.8 in Width: 770 mm / 30.3 in Height: 1130 mm / 44.5 in Wheelbase 1560 mm / 61.4 in Seat Height 701 mm / 27.6 in Wet Weight 200 kg / 440 lbs Fuel Capacity 15.1 L / 4.0 US gal / 3.3 Imp gal